



PONY 谱尼测试
Pony Testing International Group
www.ponytest.com

声明 Statement

本声明书须经批准人签字并加盖单位公章。
This statement must be approved by the approver's signatures and special seal of inspection.

本声明书中所用“谱尼”、“PONY”、“谱尼”商标均受《商标法》保护。任何未经授权、仿造、变造“PONY”、“谱尼”商标均为违法侵权行为。本单位将依法追究其法律责任。
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY Testing International Group will pursue legal action and sue for damages.

本声明书有效期：自报告发布之日起十五个工作日内。如被检方不认可检测结果，应在收到检测报告之日起十五日内，向本单位书面提出复检申请并支付复检费用。
This statement is valid for fifteen working days since the approval date (as an exception, it shall be within five days since the date received for the share products report). If the applicant has any questions about the results, shall provide a written retest application with the original report, and prepay the retest fee within fifteen days since the approval date (as an exception, it shall be within five days since the date received for the share products report).

如被检方不认可检测结果，应在收到检测报告之日起十五个工作日内，向本单位书面提出复检申请并支付复检费用。如复检结果与首次检测结果一致，则复检费用不退。如复检结果与首次检测结果不一致，则复检费用退还。
If the applicant finishes the procedure mentioned above, PONY shall arrange retest as soon as possible. If the retest result is with the applicant dissent, PONY shall refund the retest fees.

本声明书须经批准人签字并加盖单位公章。本声明书不具法律效力。
This statement must be approved by the approver's signatures and special seal of inspection. This statement does not have legal effect.

本声明书须经批准人签字并加盖单位公章。本声明书不具法律效力。
This statement must be approved by the approver's signatures and special seal of inspection. This statement does not have legal effect.

本声明书须经批准人签字并加盖单位公章。本声明书不具法律效力。
This statement must be approved by the approver's signatures and special seal of inspection. This statement does not have legal effect.

The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anticounterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

全国服务热线
400-819-5688

WWW.PONYTEST.COM

关注谱尼测试微信公众号

PONY4008195688

北京实验室: (010) 83055000 武汉实验室: (027) 83997127 哈尔滨实验室: (0451) 58627755

上海实验室: (021) 64851999 长春实验室: (0431) 836150908 石家庄实验室: (0311) 85556000 湖州实验室: (0572) 8827000

青岛实验室: (0532) 88706866 大连实验室: (0411) 87336618 乌鲁木齐实验室: (0991) 6684186 合肥实验室: (0551) 63843474

深圳实验室: (0755) 26050909 郑州实验室: (0371) 86350670 呼和浩特实验室: (0471) 3540000 广州实验室: (020) 89224310

天津实验室: (022) 23607888 西安实验室: (029) 89608785 杭州实验室: (0571) 87219096 厦门实验室: (0592) 5568048

苏州实验室: (0512) 62997900 太原实验室: (0351) 7555762 宁波实验室: (0574) 87736499 成都实验室: (028) 87022008



检测单位

2020年05月26日

F04953935 飞灰	砷, mg/L	0.15	<0.003
	砷, mg/L	0.02	<0.004
	钡, mg/L	25	0.62
	镍, mg/L	0.5	<0.01
	砷, mg/L	0.3	<0.0002
	总铬, mg/L	0.5	0.005
	硒, mg/L	0.1	<0.0005

——本页以下空白——

	固体废物 元素的测定 电感耦合等离子体质谱法	电感耦合等离子体质谱仪、电子分析天平	
	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	铜
	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	锌
	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	铅
	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	
	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	
钡	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	
镍	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	
砷	危险废物鉴别标准 浸出毒性鉴别, GB 5085.3-2007, 附录 F, 固体废物 砷、锑、铋、硒的测定 原子荧光法	原子荧光光谱仪、电子分析天平	
总铬	固体废物 22 种金属元素的测定 电感耦合等离子体发射光谱法 HJ 781-2016	电感耦合等离子体发射光谱仪、电子分析天平	
硒	危险废物鉴别标准 浸出毒性鉴别, GB 5085.3-2007, 附录 F, 固体废物 砷、锑、铋、硒的测定 原子荧光法	原子荧光光谱仪、电子分析天平	

——以下空白——



检测报告

No.IOB7IGPF04956955

委托单位 仙桃绿色东方环保发电有限公司

受测单位 仙桃绿色东方环保发电有限公司

报告日期 2020 年 05 月 26 日



1. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

2. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

3. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

4. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

5. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

6. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

7. 本测试报告为防伪测试报告，不作为法律依据。如有需要，请向相关机构咨询。

防伪说明 (Anti-counterfeiting Description):

1. 本测试报告为防伪测试报告。

The test report was exclusive report card

2. 报告采用特殊防伪纸张印刷，纸张表面带有“PONY”防伪纹路，该防伪纹路不支持复印，即复印件不会带有“PONY”防伪纹路。

The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anticounterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

全国服务热线
400-819-5688
WWW.PONYTEST.COM

扫描二维码
关注潘尼测试微信公众号
PONY4008195688



北京实验室: (010) 83055000 武汉实验室: (027) 83997127 哈尔滨实验室: (0451) 58627755
上海实验室: (021) 64851999 长春实验室: (0431) 85750908 石家庄实验室: (0311) 65576600 温州实验室: (0577) 86621100
青岛实验室: (0532) 88706866 大连实验室: (0411) 87356610 乌鲁木齐实验室: (909) 49864860 合肥实验室: (0551) 63863741
广州实验室: (020) 35950090 深圳实验室: (0755) 33557000 杭州实验室: (0571) 34500750 苏州实验室: (0512) 89724310
天津实验室: (022) 23607888 西安实验室: (029) 89608785 柳州实验室: (0521) 87219096 厦门实验室: (0592) 5568048
福州实验室: (0591) 62097900 太原实验室: (0351) 7555767 宁波实验室: (0574) 87273649 成都实验室: (028) 87702708

检测结果

01003703FP049536955

第 1 页, 共 2 页

委托单位	仙桃绿色东方环保发电有限公司		
受测单位	仙桃绿色东方环保发电有限公司		
受测地址	仙桃市干河办事处郑仁口村四组		
样品类别	炉渣	样品状态	固体
采样日期	2020-04-18	检测日期	2020-04-18~2020-05-26

检测类别	委托检测	检测环境	符合要求
------	------	------	------

检测项目	热灼减率
------	------

检测方法	固体废物 热灼减率的测定 重量法 HJ 1024-2019
所用主要仪器	电子分析天平、电热鼓风干燥箱、箱式电炉
备注	该报告中检测方法由委托单位指定。

编制人	谢平
-----	----

审核人	李兴
-----	----

批准人	张荣荣
-----	-----

签发日期	2020 年 05 月 26 日
------	------------------



检测结果

No. IOB7IGPF04956955

第 2 页, 共 2 页

样品编号及名称	检测项目	检测结果
F04956955 2号炉渣	热灼减率, %	3.29

——以下空白——

